

Safety Data Sheet

According to Hazard Communication Standard (29 CFR 1910.1200)

Extreme Pressure Lithium Grease NLGI 0

Version 1.0

Issue date: 07/03/2020

Revision date: 07/03/2020 SDS record number: CSSS-TCO-010-141502

1. Product and Company Identification

Material name Extreme Pressure Lithium Grease NLGI 0

CAS # See section 3
Product code 60090137

Product use Suitable for lubricating bearings of high load mechanical equipment such as rolling

and wrought machine. Application temperature range: $-20\,^{\circ}\text{C} \sim 120\,^{\circ}\text{C}$.

Manufacturer/Supplier

Supplier(Manufacturer): SINOPEC LUBRICANT CO., LTD.

Address: No. 6 Anning Zhuang West Road, Haidian District, Beijing, P.R.China

Contact person(E-mail): csc.lube@sinopec.com

 Telephone:
 00-86-95388-3

 Fax:
 86-10-82410856

 Emergency telephone Number:
 00-86-95388-3

2. Hazards identification

GHS classification

Physical hazards Not classified
Health hazards Not classified
Environmental hazards Not classified

GHS label elements

Hazard Pictograms No hazard pictogram is used.

Signal word No signal word is used.

Hazard statement Not applicable.

Precautionary statement

PreventionNot applicable.ResponseNot applicable.StorageNot applicable.DisposalNot applicable.Other hazardsNot available.

3. Composition / Information on Ingredients

Components	CAS#	Percent
Thickener	Mixture	<8 % weight
Additive	Mixture	<10%weight
Base oil	Mixture	>82% weight

4. First Aid Measures

First aid procedures

Eye contact Flush with water for 15 minutes. If irritation occurs, get medical attention.

Skin contact Flush skin with water, and then wash with soap and water. Get medical attention.

Inhalation Remove victim to fresh air and provide oxygen. Get medical attention.

Ingestion Do not induce vomiting. Get medical attention.

Notes to physician Treat symptoms.

Material name: Extreme Pressure Lithium Grease NLGI 0
Version #:1.0 Revision date: 07-03-2020. Issue date: 07-03-2020.

5. Fire Fighting Measure

Flammable properties

Extinguishing media

Suitable extinguishing media

Unsuitable extinguishing media

Firefighting equipment/instructions

Hazardous combustion products

6. Accidental Release Measures

Personal precautions
Environmental precautions

Methods for cleaning up

7. Handling and Storage

Handling

• •

Not available.

Carbon dioxide, foam, dry chemical and water fog.

Water

This material will burn although it is not easily ignited. For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus.

Fumes, smoke, carbon monoxide, sulfur oxides, aldehydes and other decomposition products, in the case of incomplete combustion.

Wear appropriate personal protective equipment when cleaning up spills.

Do not let product enter drains.

FOR LARGE SPILLS: Remove with vacuum truck or pump to storage/salvage vessels.

FOR SMALL SPILLS: Soak up residue with an absorbent such as clay, sand or other suitable material. Place in non-leaking container and seal tightly for proper disposal.

Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water. Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures. For more information, refer to OSHA Standard 29 CFR 1910,106. 'Flammable and Combustible Liquids', National Fire Protection Association (NFPA 77, 'Recommended Practice on Static Electricity', and/or the American Petroleum Institute (API) Recommended Practice 2003, 'Protection Against Ignitions Arising Out of Static, Lightning, and Stray Currents'. Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.

Do not store in open or unlabeled containers. Store in a cool, dry place with adequate ventilation. Keep away from open flames and high temperatures. Empty containers retain residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME.

Storage

8. Exposure Controls / Personal Protection

Occupational exposure limits This product has no PEL, TLV, or other recommended exposure limit.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls: Handle in accordance with good industrial hygiene and safety practice. Wash

hands before breaks and at the end of workday.

Individual protection measures, such as personal protective equipment:

Eye / face protection Chemical Goggles, or Safety glasses with side shields.

Skin protection Use protective clothing and shoes which are chemically resistant to this material.

Use protective gloves which is chemically resistant to this material.

Respiratory protection If engineering controls do not maintain airborne concentrations to a level which is

adequate to protect worker health, an approved respirator must be worn.

General hygiene Wash hands, forearms and face thoroughly after handling chemical products,

considerations before eating, smoking and using the lavatory and at the end of the working period.

9. Physical & Chemical Properties

Appearance

Physical state Brushed uniform ointment Brushed uniform ointment **Form**

Color Brown

Odor No peculiar smell Odor threshold Not available pН Not available Not available Vapor pressure Vapor density Not available **Boiling point** Not available Melting point/Freezing point Not available Solubility (water) Not available **Density** Not available Flash point Not available

Partition coefficient Not available Flammability limits in air, upper, %by volume Not available Flammability limits in air, lower, % by volume Not available **Auto-ignition temperature** Not available VOC Not available Percent volatile Not available **Molecular Formula** Not available

Other data

Molecular Weight

Viscosity Not available **Dissociation constant** Not available

Grades NO.0 Worked Penetention, 0.1 mm 355~385 **Dropping Point:** ≥170°C

10. Chemical Stability & Reactivity Information

Reactivity The substance is stable under normal storage and handling conditions.

Not available

Chemical stability Material is stable under normal conditions. Conditions to avoid Incompatible materials. Extreme heat and high energy sources of ignition.

Incompatible materials Strong oxidizers.

Hazardous decomposition products Fumes, smoke, carbon monoxide, sulfur oxides, aldehydes and other

decomposition products, in the case of incomplete combustion.

Possibility of hazardous reactionsNo hazardous reactions known.

11. Toxicological Information

Toxicokinetics, metabolism and distribution:

Non-human toxicological data: Not available

Information on toxicological effects:

Acute toxicity:

LD50(Oral, Rat): >5000mg/kg LD50(Dermal, Rabbit): Not available LC50(Inhalation, Rat): >10000mg/m3 Skin corrosion/Irritation: Not classified Not classified Serious eye damage/irritation: Respiratory or skin sensitization: Not classified Not classified Germ cell mutagenicity: Carcinogenicity: Not classified Reproductive toxicity: Not classified Not classified STOT- single exposure: Not classified STOT-repeated exposure: **Aspiration hazard:** Not classified

12. Ecological Information

Toxicity:

Acute to	xicity	Time	Species	Method	Evaluation	Remarks
LC50	N/A	96h	Fish	OECD 203	N/A	N/A
EC50	N/A	48h	Daphnia	OECD 202	N/A	N/A
EC50	N/A	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability: This product is expected to be inherently biodegradable.

Bioaccumulative potential: Bioaccumulation is unlikely due to the very low water solubility of this product;

therefore bioavailability to aquatic organisms is minimal.

Mobility in soil: When released into the environment, adsorption to sediment and soil will Be the

predominant behavior.

Results of PBT&vPvB assessment: Not available.

Other adverse effects: Not available.

13. Disposal Considerations

Disposal instructions Dispose of contents/container in accordance with

local/regional/national/international regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even

after container is emptied.

14. Transport Information

DOT

Basic shipping requirements:

UN number Not regulated Proper shipping name Not regulated

Hazard classNot regulatedPacking groupNot regulated

Environmental hazards No

IATA

UN number Not regulated
UN proper shipping name Not regulated
Transport hazard class(es) Not regulated
Packing group Not regulated

Environmental hazards No

IMDG

UN number Not regulated
UN proper shipping name Not regulated
Transport hazard class(es) Not regulated
Packing group Not regulated

Environmental hazards No

15. Regulatory Information

US federal regulations

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

16. Other Information

HMIS®ratings Health: 0

Flammability: 1
Physical hazard: 0

NFPA ratings Health: 0

Flammability: 1 Instability: 0

DisclaimerThe information in the sheet was written based on the best knowledge and

experience currently available.

Material name: Extreme Pressure Lithium Grease NLGI 0

SDS US

Issue date 07-03-2020