

Safety Data Sheet

Sinopec High and Low Temperature Polyurea Grease 7029D (1)

SECTION 1. Identification	
GHS product identifier:	Sinopec High and Low Temperature Polyurea Grease 7029D (1)
Other means of identification:	See Section 3
Product Code	60111993
Recommended use of the chemical	l and restrictions on use:
Recommended use:	High and Low Temperature Polyurea Grease 7029D (1) is suitable for long-term lubrication of medium, heavy loaded ball bearing, pin roller and sliding bearing under high/low-temperature and damp environment.
Recommended Restrictions:	Not available.
Supplier's details:	
Supplier(Manufacturer):	SINOPEC LUBRICANT CO.,LTD.
Address:	No. 6 Anning Zhuang West Road, Haidian District, Beijing, P.R.China
Post Code	100085
Contact person(E-mail):	csc.lube@sinopec.com
Telephone:	86-400-810-9886
Fax:	86-10-82410856
Emergency phone number:	86-400-810-9886

SECTION 2. Hazards identification

Classification of the substance or mixture:		
Physical hazards:	Not classified	
Health hazards:	Not classified	
Environmental hazards:	Not classified	
GHS label elements, including prec	autionary statements:	
Hazard Pictograms: :	No hazard pictogram is used.	
Signal word:	No signal word is used.	
Hazard statement:	Not applicable.	
Precautionary statement:		
Prevention:	Not applicable	
Response:	Not applicable	
Storage:	Not applicable	
Disposal:	Not applicable	
Other hazards which do not result	Not applicable	
in classification:		

SECTION 3. Composition/information on ingredients

Chemical nature:

Blend of polyurea, PAO and additives.

Hazardous components:

Chemical Name	Synonyms	CAS No.	Concentration (% w/w)
Base oil		mixture	70 ~ 80

Product name: Sinopec High and Low Temperature Polyurea Grease 7029D (1) GHS UN Version #: 1.0 Issue date: 09-10-2021. Revision date: 09-10-2021. 1 / 7



Thickener	mixture	10~20
Additive	mixture	<5

SECTION 4. First aid measures

Description of necessary first-aid measures:

In all cases of doubt, or when symptoms persist, seek medical attention.

In case of inhalation:	No specific first aid measures are required. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort occurs.
In case of skin contact:	No specific first aid measures are required. As a precaution, remove clothing and shoes if contaminated. To remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse.
In case of eyes contact:	Rinse the eyes with plenty of water.
In case of ingestion:	Clean mouth with water and drink plenty of water.
Most important	The product is not classified as harmful to human health effect.
symptoms/effects, acute and delayed: Indication of immediate medical	If skin irritation or rash occurs, get medical advice/attention.
attention and special treatment needed, if necessary:	

SECTION 5. Fire-fighting measures		
Suitable extinguishing med	lia:	Use water fog, foam, dry chemical or carbon dioxide to extinguish flames.
Unsuitable exting	uishing	Water.
media:		
Specific hazards arising fro	om the	In case of heat, fire and strong oxidants can lead to burning. Fumes, smoke,
chemical:		carbon monoxide, sulfur oxides, aldehydes, nitrogen oxides, phosphate, certain metal.
Special protective actions	for	Fire-fighters should wear appropriate protective equipment and
fire-fighters:		self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

• • •	5 51
For non-emergency personnel:	Provide adequate ventilation. Avoid skin and eye contact. Refer to section 8
	of SDS for personal protection details.
For emergency responders:	Wear an appropriate NIOSH/MSHA approved respirator if dust is generated.
Environmental precautions:	Do not allow material to be released to the environment without proper
	governmental permits.
Methods and materials for	Stop the source of the release if you can do it without risk. Contain release to
containment and cleaning up:	prevent further contamination of soil, surface water or groundwater. Clean up
	spill as soon as possible, observing precautions in Exposure
	Controls/Personal Protection. Use appropriate techniques such as applying
	non-combustible absorbent materials or pumping. Where feasible and
	appropriate, remove contaminated soil. Place contaminated materials in
	disposable containers and dispose of in a manner consistent with applicable
Product name: High and Low Temperature Polyurea Grease 7029D(1) SDS GH	

Product name: High and Low Temperature Polyurea Grease 7029D(1) UN



	regulations.
Reference to other sections:	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	See Section 13 for information on disposal.
Additional information:	Not applicable.

SECTION 7. Handling and storage		
Precautions for safe handling:	Provide good ventilation. Prevent electrostatic charge - sources of ignition	
	should be kept well clear - fire extinguishers should be kept handy. Avoid	
	contact with skin and eyes. Avoid prolonged exposure. Wear appropriate	
	personal protective equipment. Observe good industrial hygiene practices.	
	When using, do not eat, drink or smoke. Wash hands thoroughly after	
	handling.	
Conditions for safe storage,	Store in tightly closed original container in a dry, cool and well-ventilated	
including any incompatibilities:	place.	
	Container is not designed to contain pressure. Do not use pressure to empty	
	container or it may rupture with explosive force. Empty containers retain	
	product residue (solid, liquid, and/or vapor) and can be dangerous. Do not	
	pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to	
	heat, flame, sparks, static electricity, or other sources of ignition. They may	
	explode and cause injury or death. Empty containers should be completely	
	drained, properly closed, and promptly returned to a drum reconditioner or	
	disposed of properly.	

SECTION 8. Exposure controls/personal protection

Control parameters:	Not available.
Appropriate engineering controls:	Use in a well-ventilated area.
Individual protection measures, su	ich as personal protective equipment (PPE):
•	No special eye protection is normally required. Where splashing is possible,
Eye/face protection:	wear safety glasses with side shields as a good safety practice.
	No special protective clothing is normally required. Where splashing is
	possible, select protective clothing depending on operations conducted,
	physical requirements and other substances in the workplace. Suggested
Skin protection:	materials for protective gloves include: Neoprene, Nitrile Rubber.
	No respiratory protection is normally required. No respiratory protection is
	ordinarily required under normal conditions of use. In accordance with good
	industrial hygiene practices, precautions should be taken to avoid breathing
	of material. If user operations generate an oil mist, determine if airborne
	concentrations are below the occupational exposure limit for mineral oil mist.
	If not, wear an approved respirator that provides adequate protection from
	the measured concentrations of this material. For air-purifying respirators
	use a particulate cartridge. Use a positive pressure air-supplying respirator in
	circumstances where air-purifying respirators may not provide adequate
Respiratory protection:	protection.
Thermal hazards:	Wear suitable protective clothing to prevent heat.

SECTION 9. Physical and chemical properties and safety characteristics



Appearance:	
Physical state:	Yellow to brown smooth buttery
Form:	Paste
Color:	Yellow to brown
Odor:	slight odor
Melting point/ freezing point:	>260° C
Boiling point or initial boiling	Not available
point and boiling range:	
Flammability:	Not available
Lower and upper explosion limit /	Not available
flammability limit:	
Flash point(base oil):	>220 °C (open cup) (typ)
Auto-ignition temperature:	No information
Decomposition temperature:	Not available
PH:	Not available
Kinematic viscosity(base oil):	15mm/s² - 20 mm/s² (100°C)
Solubility :	Not available
Partition coefficient	No information
n-octanol/water (log value):	
Vapor pressure:	Not available
Density and/or relative density:	0.83-kg/l - 0.88 kg/l(20°C)
Relative vapour density:	Not available
Particle characteristics:	Not available
Molecular weight:	Not available
Molecular formula:	Not available
Explosiveness:	Not explosive
Oxidising properties:	Not oxidizing

SECTION 10. Stability and reactivity

The substance is stable under normal storage and handling conditions.
This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
storage and handling conditions of temperature and pressure.
No dangerous reaction known under conditions of normal use.
Contact with incompatible materials.
May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
None known (None expected).

SECTION 11. Toxicological information

Acute toxicity:	
LD50(Oral, Rat):	> 5000 mg/kg bw
LD50(Dermal, Rabbit):	> 5000 mg/kg bw
LC50(Inhalation, Rat):	$> 10000 \text{ mg/m}^3 \text{ bw}$
Skin corrosion/Irritation:	Not classified
Serious eye damage/irritation:	Not classified
Respiratory or skin sensitization:	Not classified
Germ cell mutagenicity:	Not classified

Product name: High and Low Temperature Polyurea Grease 7029D($1\,)$ UN

Version #: 1.0 Issue date: 09-10-2021. Revision date: 09-10-2021. 4 / 7



Carcinogenicity:	Not classified
Reproductive toxicity:	Not classified
STOT- single exposure:	Not classified
STOT-repeated exposure:	Not classified
Aspiration hazard:	Not classified

SECTION 12. Ecological information

Toxicity:

Highly refined mineral oil (CAS: 64742-44-5):

Acute toxicity		Time	Species	Method	Evaluatio	Remarks
					n	
LL50	> 100 mg/L	96h	Fish	OECD 203	N/A	N/A
LL50	> 10000	48h	Daphnia	OECD 202	N/A	N/A
	mg/L					
EC50	N/A	72h	Algae	OECD 201	N/A	N/A

isopropanol (CAS: 67-63-0):

Acute toxicity			Time	Species	Method	Evaluatio	Remarks
						n	
LC50	9640	mg/L -	96h	Fish	OECD 203	N/A	N/A
	10000) mg/L					
LC50	>	10000	24h	Daphnia	OECD 202	N/A	N/A
	mg/L						
EC50	N/A		72h	Algae	OECD 201	N/A	N/A
Persistence and degradability: This product is expected to be inherently biodegradable.			ble.				
Bioaccumulative potential: Bioaccumulation is unlikely due to the very low water solu			vater solubility of this				
			product; therefore bioavailability to aquatic organisms is minimal.				
Mobility in soil:			When released into the environment, adsorption to sediment and soil will B			ediment and soil will Be	

When released into the environment, adsorption to sediment and soil will Be the predominant behavior.
nent: No data available.

Results of PBT&vPvB assessment:No data available.Other adverse effects:No data available.

SECTION 13. Disposal considerations

Disposal methods: The material should be disposed of by incineration in a chemical incinerator in compliance with national and regional requirements. If empty container retains product residues, all label precautions must be observed. Return for reuse or dispose according to national or local regulations.

SECTION 14. Transport information					
	Land transport(ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)		
UN-Number	Not regulated	Not regulated	Not regulated		
UN Proper shipping name	Not regulated	Not regulated	Not regulated		

Product name: High and Low Temperature Polyurea Grease 7029D(1)



Transport hazard class(es)	Not regulated	Not regulated	Not regulated
Packing group, if applicable	Not regulated	Not regulated	Not regulated
Environmental hazards	No	No	No
Special precautions for user	See section 2	See section 2	See section 2
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not regulated	Not regulated	Not regulated

SECTION 15. Regulatory information

Safety, health and environn	Safety, health and environmental regulations specific for the product in question:				
Country(s) or region	Inventory name	On inventory (yes/no)*			
Australia	Australian Inventory of Chemical Substances (AICS)	Yes			
Canada	Domestic Substances List (DSL)	Yes			
Canada	Non-Domestic Substances List (NDSL)	No			
China	Inventory of Existing Chemical Substances in China	Yes			
	(IECSC)				
Europe	European Inventory of Existing Commercial	Yes			
	Chemical				
	Substances (EINECS)				
Europe	European List of Notified Chemical Substances	No			
	(ELINCS)				
Japan	Inventory of Existing and New Chemical Substances	Yes			
	(ENCS)				
Korea	Existing Chemicals List (ECL)	Yes			
New Zealand	New Zealand Inventory	<mark>Yes</mark>			
Philippines	Philippine Inventory of Chemicals and Chemical	Yes			
	Substances (PICCS)				
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes			

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16. Other information				
The date of preparation of	Version 1.0 Amended by GHS rev 6 on OCT.27 th ,2017			
the latest revision of the				
SDS:				
Legend to abbreviations and	ADR: European Agreement Concerning the International Carriage of Da	angerous		
acronyms used in the SDS:	Goods by Road			
	RID: Regulations Concerning the International Transport of Dangerous C	Goods by		
	Rail (European law)			
	IMDG: International Maritime Dangerous Goods			
	EINECS: European Inventory of Existing commercial Chemical Substances			
	IATA: International Air Transport Association			
Product name: High and Low Temperature Polyurea Grease 7029D(1) S				



ICAO-TI: International Civil Aviation Organization 《The International Civil Aviation Covenant》 (ICAO) CAS: Chemical Abstracts Service LC50: Lethal Concentration 50 EC50: Concentration for 50% of maximal effect LD50: Lethal dose 50% The European Chemicals Agency

References and sources for data used to compile the SDS: