

Safety Data Sheet

According to Hazard Communication Standard (29 CFR 1910.1200)

Blue Extreme Pressure Lithium Complex Grease

Version 1.0

Issue date: 07/03/2020

Revision date: 07/03/2020 SDS record number: CSSS-TCO-010-141496

1. Product and Company Identification

Material name Blue Extreme Pressure Lithium Complex Grease

CAS # See section 3

85

Product use Suitable for automotive wheel bearings and chassis points, particularly those

operating under the high-temperature, high-load conditions, as well as water pump motors and other friction parts. Application temperature range: -30°C ~180°C.

Manufacturer/Supplier

Supplier(Manufacturer): SINOPEC LUBRICANT CO., LTD.

Address: No. 6 Anning Zhuang West Road, Haidian District, Beijing, P.R.China

Contact person(E-mail): csc.lube@sinopec.com

 Telephone:
 00-86-95388-3

 Fax:
 86-10-82410856

 Emergency telephone Number:
 00-86-95388-3

2. Hazards identification

GHS classification

Physical hazards Not classified

Health hazardsSpecific target organ toxicity after repeated exposureCategory 2Environmental hazardsHazardous to the aquatic environment, acute hazardCategory 3Hazardous to the aquatic environment, long-term hazardCategory 3

GHS label elements

Hazard Pictograms



Signal word Warning

Hazard statement May cause damage to organs < Hematological system, kidneys, spleen, liver >

through prolonged or repeated exposure <Oral >
Harmful to aquatic life with long lasting effects

Precautionary statement

Prevention Do not breathe dust/fume/gas/mist/vapors/spray.

Avoid release to the environment.

Response Get medical advice/attention if you feel unwell.

Storage Not applicable.

Disposal Dispose of contents/container in accordance with local regulations.

Other hazards Not available

3. Composition / Information on Ingredients

Components	CAS#	Percent	Percent	
Refined mineral oil	mixture	85%~90% weight		
Complex lithium thickener	Trade secret	9 - 12 %weight		
Diphenylamine	122-39-4	0.5- 2%weight		

4. First Aid Measures

First aid procedures

Eye contact

Skin contact

Inhalation

Ingestion

Notes to physician

Flush with water for 15 minutes. If irritation occurs, get medical attention.

Flush skin with water, and then wash with soap and water. Get medical attention.

Remove victim to fresh air and provide oxygen. Get medical attention.

Do not induce vomiting. Get medical attention.

Treat symptoms.

5. Fire Fighting Measure

Flammable properties

Extinguishing media

Suitable extinguishing media

Unsuitable extinguishing media

Firefighting equipment/instructions

Not available.

Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames. Not available

This material will burn although it is not easily ignited. For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus.

Carbon monoxide, carbon dioxide, and unidentified organic compounds.

Hazardous combustion products

6. Accidental Release Measures

Personal precautions Environmental precautions

Methods for cleaning up

Wear appropriate personal protective equipment when cleaning up spills.

Do not let product enter drains.

Stop the source of the release if you can do it without risk. Contain release to prevent further contamination of soil, surface water or groundwater. Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.

7. Handling and Storage

Handling

Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water. Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures. For more information, refer to OSHA Standard 29 CFR 1910.106, 'Flammable and Combustible Liquids', National Fire Protection Association (NFPA 77, 'Recommended Practice on Static Electricity', and/or the American Petroleum Institute (API) Recommended Practice 2003, 'Protection Against Ignitions Arising Out of Static, Lightning, and Stray Currents'. Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition.

They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.

before eating, smoking and using the lavatory and at the end of the working period.

Storage Keep container tightly closed in a dry and well-ventilated place.

8. Exposure Controls / Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value		
Diphenylamine (CAS 122-39-4)	TWA	10 mg/m3		
US. NIOSH: Pocket Guide to Chemical Haza	rds			
Components	Туре	Value		
Diphenylamine (CAS 122-39-4)	TWA	10 mg/m3		
Biological limit values	No biological exposure limits noted for the ingredient(s).			
Appropriate engineering controls:	Handle in accordance with good industrial hygiene and safety practice. Wash			
	hands before breaks and at the end of workday.			

Individual protection measures, such as personal protective equipment:

Eye / face protection	No special eye protection is normally required. Where splashing is possible, wear				
	safety glasses with side shields as a good safety practice.				
Skin protection	No special protective clothing is normally required. Where splashing is possible,				
	select protective clothing depending on operations conducted, physical				
	requirements and other substances in the workplace. Suggested materials for				
	protective gloves include: Neoprene, Nitrile Rubber.				
Respiratory protection	No respiratory protection is normally required. No respiratory protection is ordinarily				
	required under normal conditions of use. In accordance with good industrial				
	hygiene practices, precautions should be taken to avoid breathing of material. If				
	user operations generate an oil mist, determine if airborne concentrations are				
	below the occupational exposure limit for mineral oil mist. If not, wear an approved				
	respirator that provides adequate protection from the measured concentrations of				
	this material. For air-purifying respirators use a particulate cartridge. Use a positive				
	pressure air-supplying respirator in circumstances where air-purifying respirator				
	may not provide adequate protection.				
General hygiene	Wash hands, forearms and face thoroughly after handling chemical products,				

9. Physical & Chemical Properties

Appearance

considerations

Physical stateSmooth butteryFormSmooth buttery

Color Blue

Odor No peculiar smell
Odor threshold Not available
pH Not available
Vapor pressure Not available
Vapor density Not available
Boiling point Not available
Melting point/Freezing point Not available

Solubility (water) Not available Not available **Density** Not available Flash point Partition coefficient Not available Flammability limits in air, upper, %by volume Not available Flammability limits in air, lower, % by volume Not available Not available **Auto-ignition temperature** VOC Not available Percent volatile Not available Molecular Formula Not available **Molecular Weight** Not available

Other data

ViscosityNot availableDissociation constantNot availableGradesNO.T2Worked Penetention,0.1mm235~265Dropping Point:≥260 °C

10. Chemical Stability & Reactivity Information

Reactivity The substance is stable under normal storage and handling conditions.

Chemical stability Material is stable under normal conditions.

Conditions to avoid Incompatible materials. Extreme heat and high energy sources of ignition.

Incompatible materials May react with strong acids or strong oxidizing agents, such as chlorates, nitrates,

peroxides, etc.

Hazardous decomposition products Carbon monoxide, carbon dioxide, and unidentified organic compounds.

Possibility of hazardous reactions No hazardous reactions known.

11. Toxicological Information

Toxicokinetics, metabolism and distribution:

Non-human toxicological data: Not available

Information on toxicological effects:

Acute toxicity:

> 5 000 mg/kg bw LD50(Oral, Rat): LD50(Dermal, Rabbit): Not available LC50(Inhalation, Rat): >10000mg / m3 Not classified Skin corrosion/Irritation: Not classified Serious eye damage/irritation: Not classified Respiratory or skin sensitization: Not classified Germ cell mutagenicity: Not classified Carcinogenicity: Reproductive toxicity: Not classified STOT- single exposure: Not classified

STOT-repeated exposure: May cause damage to organs <Hematological system, kidneys, spleen, liver >

through prolonged or repeated exposure <Oral >

Aspiration hazard: Not classified

12. Ecological Information

Toxicity:

Acute to	xicity	Time	Species	Method	Evaluation	Remarks
LC50	N/A	96h	Fish	OECD 203	N/A	N/A
EC50	N/A	48h	Daphnia	OECD 202	N/A	N/A
EC50	N/A	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability: This product is expected to be inherently biodegradable.

Bioaccumulative potential: Bioaccumulation is unlikely due to the very low water solubility of this product;

therefore bioavailability to aquatic organisms is minimal.

Mobility in soil: When released into the environment, adsorption to sediment and soil will Be the

predominant behavior.

Results of PBT&vPvB assessment: Not available.

Other adverse effects: Harmful to aquatic life with long lasting effects

13. Disposal Considerations

Disposal instructions Dispose of contents/container in accordance with

local/regional/national/international regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even

after container is emptied.

14. Transport Information

DOT

Basic shipping requirements:

UN number Not regulated
Proper shipping name Not regulated
Hazard class Not regulated
Packing group Not regulated

Environmental hazards No

IATA

UN number Not regulated
UN proper shipping name Not regulated
Transport hazard class(es) Not regulated
Packing group Not regulated

Environmental hazards No

IMDG

UN number Not regulated
UN proper shipping name Not regulated
Transport hazard class(es) Not regulated
Packing group Not regulated

Environmental hazards No

15. Regulatory Information

US federal regulations

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.Diphenylamine122-39-40.5- 2%weight

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

California Proposition 65

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3,

subd. (a))

Diphenylamine (CAS 122-39-4)

16. Other Information

HMIS®ratings Health: 2

Flammability: 1
Physical hazard: 0

NFPA ratings Health: 2

Flammability: 1 Instability: 0

Disclaimer The information in the sheet was written based on the best knowledge and

experience currently available.

Issue date 07-03-2020