

# Safety Data Sheet According to SS586:2014

SINOPEC TULUX CF-2 40 2T Diesel Engine Oil

## Version 2.0 Issue date: 26/04/2020 Revision date: 01/03/2023

# Section 1 Identification of the substance/mixture and of the company/undertaking

Product identifier:					
Identification on the label/Trade name:	/Trade name: SINOPEC TULUX CF-2 40 2T Diesel Engine Oil				
Additional identification:	Not available				
Identification of the product:	See section 3				
Index Number:	Not available				
REACH registration No .:	Not available				
Relevant identified uses of the substant	ce and uses advised against:				
Identified uses:					
Can be used in 2T diesel engine for	r lubricating, cooling and airproofing etc.				
Uses advised against:					
Not available.					
Details of the supplier of the safety data	a sheet:				
Supplier (Manufacturer):	SINOPEC LUBRICANT CO., LTD.				
Address:	No. 6 Anning Zhuang West Road, Haidian District, Beijing, P.R.China				
Contact person (E-mail):	csc.lube@sinopec.com				
Telephone:	86-400-810-9886				
Fax:	86-10-82410856				
Emergency telephone Number:					
86-400-810-9886 Only available during o	ffice hours (8:30a.m17:30p.m. Beijing Time Zone)				
Available outside office hours?	YES NO X				
Section 2 Hazards Identification					
Classification of the substance/mixture	:				
GHS Classification	Not classified				
label elements:					
Hazard Pictograms:	No hazard pictogram is used.				
Signal Word(S):	No signal word is used.				
Hazard Statement:	Not applicable.				
Precautionary statement:	Not applicable.				
Other hazards:					

Not available.

## Section 3 Composition/information on ingredients

### Substance/Mixture:

Mixture

### Ingredient(s):

Chemical Name	Registration No.	CAS No.	EC No.	Concentration
Base oil	N/A	64742-44-5	265-146-1	80-90%
Additive	N/A	Mixture	N/A	<20%

### Section 4 First aid measures

#### Description of first aid measures:

In all cases of doubt, or when symptoms persist, seek medical attention.

#### In case of inhalation:

No specific first aid measures are required. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort occurs.

#### In case of skin contact:

No specific first aid measures are required. As a precaution, remove clothing and shoes if contaminated. To remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse.

#### In case of eyes contact:

No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and flush eyes with water.

#### In case of ingestion:

No specific first aid measures are required. Do not induce vomiting. As a precaution, get medical advice.

#### Most important symptoms and effects, both acute and delayed:

The product is not classified as harmful to human health effect.

#### Indication of any immediate medical attention and special treatment needed:

If skin irritation or rash occurs, get medical advice/attention.

### **Section 5 Fire-Fighting measures**

### Extinguishing media:

Suitable extinguishing media: Unsuitable extinguishing media: Special hazards arising from the substance or mixture

Special fire fighting methods and special protective actions for fire-fighters:

Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames. Water.

This material will burn although it is not easily ignited. Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6 Accidental release measures

## Personal precautions, protective equipment and emergency procedures:

Provide adequate ventilation. Avoid inhalation of vapour. Avoid skin and eye
contact. Refer to section 8 of SDS for personal protection details.
Wear an appropriate NIOSH/MSHA approved respirator if dust is generated.
Do not allow material to be released to the environment without proper governmental permits.
Stop the source of the release if you can do it without risk. Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.
Not applicable.

## Section 7 Handling and storage

Precautions for safe handling:	
Protective measures:	Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures.
Advice on general occupational hygiene:	Do not eat, drink and smoke in work areas. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas.
Conditions for safe storage, including any incompatibilities:	Store in original containers. Keep containers securely sealed. No smoking, naked lights or ignition sources. Store in a cool, dry, well-ventilated area. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition.
Specific end use(s):	Not applicable.

## **Section 8 Exposure Controls/Personal Protection**

## Control parameters: OCCUPATIONAL EXPOSURE LIMITS (OEL)

**INGREDIENT DATA:** 

Not Available

### **EMERGENCY LIMITS:**

Not Available

Ingredient		Original IDLH	Revised ID	LH
Base oil (CAS#64742-44-5)	Not Available	Not Availab	le	
Exposure controls:				
Appropriate engineering controls:	Use in a v	vell-ventilated area.		
Individual protection measures, such as	s personal prot	ective equipment:		
Eye/face protection:	No specia	al eye protection is normally requ	iired. Where splashing	is possible, wear
	safety gla	sses with side shields as a goo	I safety practice.	
Hand protection:	Suggeste	d materials for protective gloves	include: Neoprene, Ni	trile Rubber.
Body protection:	No specia	al protective clothing is normal	y required. Where sp	lashing is possible,
	select p	rotective clothing depending	on operations co	nducted, physical
	requireme	ents and other substances in the	workplace.	
Respiratory protection:	No respira	atory protection is normally requ	ired. No respiratory pro	ptection is ordinarily
	required u	Inder normal conditions of use.	n accordance with goo	d industrial hygiene
	practices, precautions should be taken to avoid breathing of materialIf user			
	operation	s generate an oil mist, determin	e if airborne concentrat	ions are below the
	occupatio	nal exposure limit for mineral oi	mist. If not, wear an a	pproved respirator
	that provid	des adequate protection from th	e measured concentrat	tions of this
	material.	For air-purifying respirators use	a particulate cartridge.	Use a positive
	pressure air-supplying respirator in circumstances where air-purifying respirators			
	may not p	rovide adequate protection.		
Thermal hazards:	Wear suit	able protective clothing to preve	nt heat.	
Environmental exposure controls:	Avoid disc	charge into the environment.		
	According	to local regulations, Federal ar	d official regulations.	

## Section 9 Physical and chemical properties

## Information on basic physical and chemical properties:

	Appearance:	Liquid
	Colour:	Transparent, brown
	Odour:	Odorless or slight odor
	Odour threshold:	Not available
	pH:	Not available
	Melting point/range (°C):	Not available
	Boiling point/range (°C):	Not available
	Flash point (°C):	250 °C (Open Cup) (typical)
	Evaporation rate:	Not available
_		<b>0</b> "

Product name: SINOPEC TULUX CF-2 40 2T Diesel Engine Oil SDS SG

	Flammability limit - lower (%):	Not available
	Flammability (solid, gas):	Not available
	Ignition temperature (°C):	Not available
	Upper/lower flammability/explosive limits:	Not available
	Vapour pressure (20°C):	Not available
	Vapour density:	Not available
	Density:	0.80kg/L~0.90kg/L (20°C)
	Bulk density (kg/m³):	Not available
	Water solubility (g/l):	Insoluble in water.
	n-Octanol/Water (log Po/w):	> 6 (estimated value)
	Auto-ignition temperature:	>260°C
	Decomposition temperature:	Not available
	Viscosity, dynamic (mPa.s):	12.5 mm2/s – 16.3 mm2/s (100°C)
	Explosive properties:	Not available
	Oxidising properties:	Not available
	Molecular Formula:	Not available
	Molecular Weight:	Not available
0	ther information:	
	Fat solubility (solvent- oil to be specified)	Soluble in hydrocarbon solvents
	etc:	
	Surface tension:	Not available
	Dissociation constant in water(pKa):	Not available
	Oxidation-reduction Potential:	Not available
	Specific gravity:	Not available

# Section 10 Stability and reactivity

Reactivity:	The substance is stable under normal storage and handling conditions.
Chemical stability:	Stable at room temperature in closed containers under normal storage and handling
	conditions.
Possibility of hazardous reactions:	May react with strong oxidizing agents.
Conditions to avoid:	Incompatible materials. Avoid extreme temperatures, sun exposure, the fire source.
Incompatible materials:	Strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
Hazardous decomposition products:	A complex mixture of airborne solids, liquids, and gases including carbon monoxide,
	carbon dioxide, and unidentified organic compounds will be evolved when this
	material undergoes combustion.

Section 11 Toxicological information					
Toxicokinetics, metabolism and distribution:					
Non-human toxicological data:	Not available				
Information on toxicological effect	s:				
Acute toxicity:					
LD50(Oral, Rat):	>5g/kg				
LD50(Dermal, Rabbit):	>5g/kg				
Product name: SINOPEC TULUX CF-2 40 2T E SDS SG	iesel Engine Oil				
Version #: 2.0 Issue date: 26-04-2020.	Revision date: 01-03-2023.	5 / 7			

LC50(Inhalation, Rat):	>10g/m3
Acute toxicity:	
Base oil (CAS: 64742-44-5)	
LD50(Oral, Rat):	> 5000 mg/kg bw
LD50(Dermal, Rabbit):	> 2000 mg/kg bw
LC50(Inhalation, Rat):	2.18 mg/L air
Skin corrosion/Irritation:	Not classified
Serious eye damage/irritation:	Not classified
Respiratory or skin sensitization:	Not classified
Germ cell mutagenicity:	Not classified
Carcinogenicity:	Not classified
Reproductive toxicity:	Not classified
STOT- single exposure:	Not classified
STOT-repeated exposure:	Not classified

## **Section 12 Ecological information**

## Toxicity:

	Acute toxicity		Time	Species	Method	Evaluation	Remarks
	LC50	N/A	96h	Fish	OECD 203	N/A	N/A
	EC50	N/A	48h	Daphnia	OECD 202	N/A	N/A
	EC50	N/A	72h	Algae	OECD 201	N/A	N/A
Persistence and degradability:			This material is not expected to be readily biodegradable.				
Bioaccumulative potential:			This material contains components with potential to bioaccumulation.				
Mobility in soil:			If into the soil, this m	aterial will be ad	sorbed and not	flow.	
Results of PBT&vPvB assessment:			Not available.				
Other adverse effects:			Not available.				

Section 13 Disposal consideration	IS
Waste treatment methods:	The material should be disposed of by incineration in a chemical incinerator in
Product / Packaging disposal:	compliance with national and regional requirements. If empty container retains product residues, all label precautions must be observed.
	Return for reuse or dispose according to national or local regulations.

Section 14 Transport information				
	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)	
UN-Number	Not regulated	Not regulated	Not regulated	
UN Proper shipping name	Not regulated	Not regulated	Not regulated	
Transport hazard Class	Not regulated	Not regulated	Not regulated	
Packaging group	Not regulated	Not regulated	Not regulated	

Environmental hazards	No	No	No
Special precautions for user	See section 2.2	See section 2.2	See section 2.2
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not regulated	Not regulated	Not regulated

## Section 15 Regulation information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

Base oil (64742-44-5) is found on the following	Not applicable
regulatory lists	

## **Section 16 Other information**

## Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

### Notice to reader:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Author: Hangzhou CIRS Co., Limited Website:<u>www.cirs-group.com</u>

oup.com Tel:0571-87206555

Email:info@cirs-group.com