

Safety Data Sheet

According to SS586:2014

SINOPEC TULUX CF 40 Diesel Engine Oil

Version 2.0

Issue date: 26/04/2020 Revision date: 01/03/2023

Section 1 Identification of the substance/mixture and of the company/undertaking

Product identifier:		
Identification on the label/Trade name:	SINOPEC TULUX CF 40 Diesel Engine Oil	
Additional identification:	Not available	
Identification of the product:	See section 3	
Index Number:	Not available	
REACH registration No.:	Not available	
Relevant identified uses of the substance and	d uses advised against:	
Identified uses:		
Can be used in gasoline/diesel engine for	lubricating, cooling and airproofing etc.	
Uses advised against:		
Not available.		
Details of the supplier of the safety data shee	et:	
Supplier (Manufacturer):	SINOPEC LUBRICANT CO., LTD.	
Address:	No. 6 Anning Zhuang West Road, Haidian District, Beijing, P.R.China	
Contact person (E-mail):	csc.lube@sinopec.com	
Telephone:	86-400-810-9886	
Fax:	86-10-82410856	
Emergency telephone Number:		
86-400-810-9886 Only available during office he	ours (8:30a.m17:30p.m. Beijing Time Zone)	
Available outside office hours?	YES NO X	
Section 2 Hazards Identification		
Classification of the substance/mixture:		
GHS Classification	Not classified	
label elements:		
Hazard Pictograms:	No hazard pictogram is used.	
Signal Word(S):	No signal word is used.	
Hazard Statement:	Not applicable.	
Precautionary statement:	Not applicable.	
Other hazards:		
Not available.		

Product name: SINOPEC TULUX CF 40 Diesel Engine Oil

SDS SG

Version #: 2.0 Issue date: 26-04-2020. Revision date: 01-03-2023.

Section 3 Composition/information on ingredients

Substance/Mixture: Mixture

Ingredient(s):

Chemical Name	Registration No.	CAS No.	EC No.	Concentration
Base oil	N/A	64742-44-5	265-146-1	80-90%
Additive	N/A	Mixture	N/A	<20%

Section 4 First aid measures

Description of first aid measures:

In all cases of doubt, or when symptoms persist, seek medical attention.

In case of inhalation:

No specific first aid measures are required. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort occurs.

In case of skin contact:

No specific first aid measures are required. As a precaution, remove clothing and shoes if contaminated. To remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse.

In case of eyes contact:

No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and flush eyes with water.

In case of ingestion:

No specific first aid measures are required. Do not induce vomiting. As a precaution, get medical advice.

Most important symptoms and effects, both acute and delayed:

The product is not classified as harmful to human health effect.

Indication of any immediate medical attention and special treatment needed:

If skin irritation or rash occurs, get medical advice/attention.

Section 5 Fire-Fighting measures

Extinguishing media:

Suitable extinguishing media: Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.

Unsuitable extinguishing media: Water.

Special hazards arising from the

substance or mixture

This material will burn although it is not easily ignited. Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds

will be evolved when this material undergoes combustion.

Special fire fighting methods and special protective actions for fire-fighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

mode.

Product name: SINOPEC TULUX CF 40 Diesel Engine Oil SDS SG

Revision date: 01-03-2023. 2/7 Version #: 2.0 Issue date: 26-04-2020.

Section 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Provide adequate ventilation. Avoid inhalation of vapour. Avoid skin and eye For non-emergency personnel:

contact. Refer to section 8 of SDS for personal protection details.

Wear an appropriate NIOSH/MSHA approved respirator if dust is generated. For emergency responders:

Do not allow material to be released to the environment without proper **Environmental Precautions:**

governmental permits.

Methods for Containment and Cleaning up: Stop the source of the release if you can do it without risk. Clean up spill as soon as

> possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Place contaminated materials in disposable containers and dispose of in a manner

consistent with applicable regulations.

Reference to other sections: See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

Additional information: Not applicable.

Section 7 Handling and storage

Precautions for safe handling:

Electrostatic charge may accumulate and create a hazardous condition when Protective measures:

> handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum

truck operations) and use appropriate mitigating procedures.

Advice on general occupational hygiene: Do not eat, drink and smoke in work areas. Wash hands after use. Remove

contaminated clothing and protective equipment before entering eating areas.

Conditions for safe storage, including

any incompatibilities:

Store in original containers. Keep containers securely sealed. No smoking, naked lights or ignition sources. Store in a cool, dry, well-ventilated area. Empty containers

retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat,

flame, sparks, static electricity, or other sources of ignition.

Specific end use(s): Not applicable.

Product name: SINOPEC TULUX CF 40 Diesel Engine Oil SDS SG

Revision date: 01-03-2023. 3/7 Version #: 2.0 Issue date: 26-04-2020.

Section 8 Exposure Controls/Personal Protection

Control parameters:

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA:

Not Available

EMERGENCY LIMITS:

Not Available

Ingredient	Original IDLH	Revised IDLH
Base oil (CAS#64742-44-5)	Not Available	Not Available

Exposure controls:

Appropriate engineering controls: Use in a well-ventilated area. Individual protection measures, such as personal protective equipment:

Eye/face protection: No special eye protection is normally required. Where splashing is possible, wear

safety glasses with side shields as a good safety practice.

Hand protection: Suggested materials for protective gloves include: Neoprene, Nitrile Rubber.

Body protection: No special protective clothing is normally required. Where splashing is possible,

select protective clothing depending on operations conducted, physical

requirements and other substances in the workplace.

Respiratory protection: No respiratory protection is normally required. No respiratory protection is ordinarily

required under normal conditions of use. In accordance with good industrial hygiene

practices, precautions should be taken to avoid breathing of material...If user

operations generate an oil mist, determine if airborne concentrations are below the occupational exposure limit for mineral oil mist. If not, wear an approved respirator

that provides adequate protection from the measured concentrations of this material. For air-purifying respirators use a particulate cartridge. Use a positive pressure air-supplying respirator in circumstances where air-purifying respirators

may not provide adequate protection.

Thermal hazards: Wear suitable protective clothing to prevent heat.

Environmental exposure controls: Avoid discharge into the environment.

According to local regulations, Federal and official regulations.

Section 9 Physical and chemical properties

Information on basic physical and chemical properties:

Appearance: Liquid

Colour: Transparent, brown

Odour: Odorless or slight odor

Odour threshold:

PH:

Not available

Not available

Melting point/range (°C):

Not available

Not available

Flash point (°C): 250 °C (Open Cup) (typical)

Evaporation rate: Not available

Product name: SINOPEC TULUX CF 40 Diesel Engine Oil

SDS SG

Version #: 2.0 Issue date: 26-04-2020. Revision date: 01-03-2023. 4 / 7

Flammability limit - lower (%):

Flammability (solid, gas):

Not available

Ignition temperature (°C):

Upper/lower flammability/explosive limits:

Vapour pressure (20°C):

Not available

Not available

Not available

Density: 0.80kg/L~0.90kg/L (20°C)

Bulk density (kg/m³): Not available

Water solubility (g/l): Insoluble in water.

n-Octanol/Water (log Po/w): > 6 (estimated value)

Auto-ignition temperature: >260°C

Decomposition temperature: Not available

Viscosity, dynamic (mPa.s): 12.5 mm2/s – 16.3 mm2/s (100°C)

Explosive properties:

Oxidising properties:

Not available

Not available

Not available

Molecular Formula:

Not available

Not available

Other information:

Fat solubility (solvent- oil to be specified)

Soluble in hydrocarbon solvents

etc:

Surface tension:

Dissociation constant in water(pKa):

Not available

Oxidation-reduction Potential:

Not available

Specific gravity:

Not available

Section 10 Stability and reactivity

Reactivity:The substance is stable under normal storage and handling conditions.

Chemical stability: Stable at room temperature in closed containers under normal storage and handling

conditions.

Possibility of hazardous reactions: May react with strong oxidizing agents.

Conditions to avoid: Incompatible materials. Avoid extreme temperatures, sun exposure, the fire source.

Incompatible materials: Strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

Hazardous decomposition products: A complex mixture of airborne solids, liquids, and gases including carbon monoxide,

carbon dioxide, and unidentified organic compounds will be evolved when this

material undergoes combustion.

Section 11 Toxicological information

Toxicokinetics, metabolism and distribution:

Non-human toxicological data: Not available

Information on toxicological effects:

Acute toxicity:

LD50(Oral, Rat): >5g/kg LD50(Dermal, Rabbit): >5g/kg

Product name: SINOPEC TULUX CF 40 Diesel Engine Oil

SDS SG

Version #: 2.0 Issue date: 26-04-2020. Revision date: 01-03-2023. 5 / 7

LC50(Inhalation, Rat): >10g/m3

Acute toxicity:

Base oil (CAS: 64742-44-5)

LD50(Oral, Rat): > 5000 mg/kg bw LD50(Dermal, Rabbit): > 2000 mg/kg bw LC50(Inhalation, Rat): 2.18 mg/L air Skin corrosion/Irritation: Not classified Serious eye damage/irritation: Not classified Respiratory or skin sensitization: Not classified Not classified Germ cell mutagenicity: Carcinogenicity: Not classified Reproductive toxicity: Not classified STOT- single exposure: Not classified STOT-repeated exposure: Not classified

Section 12 Ecological information

Toxicity:

Acute t	oxicity	Time	Species	Method	Evaluation	Remarks
LC50	N/A	96h	Fish	OECD 203	N/A	N/A
EC50	N/A	48h	Daphnia	OECD 202	N/A	N/A
EC50	N/A	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability: This material is not expected to be readily biodegradable.

Bioaccumulative potential: This material contains components with potential to bioaccumulation.

Mobility in soil: If into the soil, this material will be adsorbed and not flow.

Results of PBT&vPvB assessment: Not available.

Other adverse effects: Not available.

Section 13 Disposal considerations

Waste treatment methods: The material should be disposed of by incineration in a chemical incinerator in

compliance with national and regional requirements.

Product / Packaging disposal: If empty container retains product residues, all label precautions must be observed.

Return for reuse or dispose according to national or local regulations.

Section 14 Transport information			
	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN-Number	Not regulated	Not regulated	Not regulated
UN Proper shipping name	Not regulated	Not regulated	Not regulated
Transport hazard Class	Not regulated	Not regulated	Not regulated
Packaging group	Not regulated	Not regulated	Not regulated

Product name: SINOPEC TULUX CF 40 Diesel Engine Oil

SDS SG

Version #: 2.0 Issue date: 26-04-2020. Revision date: 01-03-2023. 6 / 7

Environmental hazards	No	No	No
Special precautions for user	See section 2.2	See section 2.2	See section 2.2
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not regulated	Not regulated	Not regulated

Section 15 Regulation information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

Base oil (64742-44-5) is found on the following	Not applicable
regulatory lists	

Section 16 Other information

Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Notice to reader:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Author: Hangzhou CIRS Co., Limited Website: www.cirs-group.com Tel:0571-87206555 Email:info@cirs-group.com

Product name: SINOPEC TULUX CF 40 Diesel Engine Oil

SDS SG

Version #: 2.0 Issue date: 26-04-2020. Revision date: 01-03-2023. 7 / 7